ELSEVIER

Neuroscience Letters 374 (2005) 227–230

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 374

Abad, C., see Czaplinski, M., 147
Abe, T., see Nagai, Y., 183
Adde-Michel, C., Hennebert, O., Laudenbach, V., Marret, S., Leroux, P., Effect of acamprosate on neonatal excitotoxic cortical lesions in in utero alcohol-exposed hamsters, 109
Albrecht, J., see Szeliga, M., 171
Alho, K., see Gumenyuk, V., 212
Almhanna, K., see Chavez, J.C., 179
Araki, T., Kasai, K., Nakagome, K., Fukuda, M., Itoh, K., Koshida, I., Kato, N., Iwanami, A., Brain electric activity for active inhibition of auditory irrelevant information, 11
Asaoka, K., see Sasaki, K., 166

Badauê-Passos Jr., D., see Cavalcante-Lima, H.R., 5
Baik, H.H., see Lim, Y.J., 157
Baik, S.-Y., Jung, K.H., Choi, M.-R., Yang, B.-H., Kim, S.-H., Lee, J.-S., Oh, D.-Y., Choi, I.-G., Chung, H., Chai, Y.G., Fluoxetine-induced up-regulation of 14-3-3zeta and tryptophan hydroxylase levels in RBL-2H3 cells, 53
Baksi, K., see Chattopadhyay, B., 81
Balasubramaniam, A., see Parker, M.S., 43
Bando, Y., see Yanagita, T., 47
Bardy, B.G., see Faugloire, E., 136
Basta, D., Ernst, A., "Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices" [Neurosci. Lett. 368 (2004) 297–302], 73
Basta, D., Ernst, A., Erratum to "Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices", 74
Beck, K.D., see Moldow, R.L., 25
Been, P.H., see Wijers, A.A., 87
Berti-Mattera, L.N., see Chavez, J.C., 179
Bhattacharyya, N.P., see Chattopadhyay, B., 81
Blackinton, J., see Miller, D.W., 203
Blackwell, J.M., see Jamieson, S.E., 124
Boyajyan, A., see Hakobyan, S., 35
Brayne, C., see Jamieson, S.E., 124
Burmester, T., see Schmidt, M., 207

Cairns, N.J., see Jamieson, S.E., 124
Cavalcante-Lima, H.R., Lima, H.R.C., Costa-e-Sousa, R.H., Olivares, E.L., Cedraz-Mercez, P.L., Reis, R.O., Badauê-Passos Jr., D., De-Lucca Jr., W., de Medeiros, M.A., da Silva Côrtes, W., Reis, L.C., Dipsogenic stimulation in ibotenic DRN-lesioned rats induces concomitant sodium appetite, 5
Cedraz-Mercez, P.L., see Cavalcante-Lima, H.R., 5
Cha, C.I., see Chung, Y.H., 58
Chai, Y.G., see Baik, S.-Y., 53
Chattopadhyay, B., Baksi, K., Mukhopadhyay, S., Bhattacharyya, N.P., Modulation of age at onset of Huntington disease patients by variations in TP53 and human caspase activated DNase (hCAD) genes, 81
Chavez, J.C., Almhanna, K., Berti-Mattera, L.N., Transient expression of hypoxia-inducible factor-1 alpha and target genes in peripheral nerves from diabetic rats, 179
Choe, B.-K., see Lim, Y.J., 157
Choi, I.-G., see Baik, S.-Y., 53
Choi, M.-R., see Baik, S.-Y., 53
Chourbaji, S., see Zueger, M., 142
Chu, C.-P., see Qiu, D.-L., 69
Chung, H., see Baik, S.-Y., 53
Chung, Y.H., Joo, K.M., Nam, R.H., Kim, Y.S., Lee, W.B., Cha, C.I., Immunohistochemical study on the distribution of the voltage-gated potassium channels in the gerbil cerebellum, 58
Cookson, M.R., see Miller, D.W., 189
Costa-e-Sousa, R.H., see Cavalcante-Lima, H.R., 5
Crawley, A., see Miller, D.W., 189
Czaplinski, M., Abad, C., Eblen-Zajjur, A., Normal expression and inflammation-induced changes of Na and Na/K ATPase activity in spinal dorsal horn of the rat, 147

da Silva Côrtes, W., see Cavalcante-Lima, H.R., 5
de Medeiros, M.A., see Cavalcante-Lima, H.R., 5
De-Lucca Jr., W., see Cavalcante-Lima, H.R., 5
Derrick, B.E., see Kosub, K.A., 29
Di Marco, A., see Lee, N., 161
Ding, J., see Fan, Y., 222
Ding, L., see Masahira, N., 17
Do, V.H., see Kosub, K.A., 29
Dogu, O., see Miller, D.W., 189
Dvorak, F., see Sellner, J., 197

Eblen-Zajjur, A., see Czaplinski, M., 147
Ehrlich, R., The human brain's algorithm for extrapolating motion, and its possible gender-dependence, 38
Ernst, A., see Basta, D., 73
Escera, C., see Gumenyuk, V., 212
Eto, K., see Ishibashi, H., 152
Evans, J.G., see Jamieson, S.E., 124

Fan, Y., Hu, J., Li, J., Yang, Z., Xin, X., Wang, J., Ding, J., Geng, M., Effect of acidic oligosaccharide sugar chain on scopolamine-induced memory impairment in rats and its related mechanisms, 222
Fang, L., Wu, J., Zhang, X., Lin, Q., Willis, W.D., Calcium/calmodulin dependent protein kinase II regulates the phosphorylation of cyclic AMP-responsive element-binding protein of spinal cord in rats following noxious stimulation, 1
Faugloire, E., Bardy, B.G., Merhi, O., Stoffregen, T.A., Exploring coordination dynamics of the postural system with real-time visual feedback, 136
Friston, K.J., see Kilner, J.M., 174
Fu, F., see Tian, J., 92
Fujiki, M., see Nagai, Y., 183
Fukuda, M., see Araki, T., 11
Fusayasu, E., see Kowa, H., 129

Gass, P., see Zueger, M., 142
Geng, M., see Fan, Y., 222
Geng, M., see Tian, J., 92

doi:10.1016/S0304-3940(05)00043-1

Gumenyuk, V., Korzyukov, O., Escera, C., Hämäläinen, M., Huotilainen, M., Häyrinen, T., Oksanen, H., Näätänen, R., von Wendt, L., Alho, K., Electrophysiological evidence of enhanced distractibility in ADHD children, 212
Gwinn-Hardy, K., see Miller, D.W., 189

Ha, E., see Lim, Y.J., 157
Haas, J., see Sellner, J., 197
Hachiya, N.S., Yamada, M., Watanabe, K., Jozuka, A., Ohkubo, T., Sano, K., Takeuchi, Y., Kozuka, Y., Sakasegawa, Y., Kaneko, K., Mitochondrial localization of cellular prion protein (PrP^C) invokes neuronal apoptosis in aged transgenic mice overexpressing PrP^C, 98
Hakobyan, S., Boyajyan, A., Sim, R.B., Classical pathway complement activity in schizophrenia, 35
Hämäläinen, M., see Gumenyuk, V., 212
Hankeln, T., see Schmidt, M., 207
Hardy, J., see Miller, D.W., 189
Harkin, A., see Zueger, M., 142
Hattori, H., Ito, D., Tanahashi, N., Murata, M., Saito, I., Watanabe, K., Suzuki, N., T280M and V249I polymorphisms of fractalkine receptor CX3CR1 and ischemic cerebrovascular disease, 132
He, S., Huang, J., Wu, X., Li, L., Glutamate and $GABA_B$ transmissions in lateral amygdala are involved in startle-like electromyographic (EMG) potentiation caused by activation of auditory thalamus, 113
Hennebert, O., see Adde-Michel, C., 109
Herzig, V., Schmidt, W.J., Anti-craving drugs acamprosate and naloxone do not reduce expression of morphine conditioned place preference in isolated and group-housed rats, 119
Hong, M.-S., see Lim, Y.J., 157
Hong, S.-I., see Lim, Y.J., 157
Howson, J.M.M., see Jamieson, S.E., 124
Hu, J., see Fan, Y., 222
Huang, J., see He, S., 113
Huotilainen, M., see Gumenyuk, V., 212
Häyrinen, T., see Gumenyuk, V., 212

Ijiri, T., see Kowa, H., 129
Ikeda, M., see Saito, S., 21
Ikenaka, K., see Masahira, N., 17
Inada, T., see Saito, S., 21
Inoue, R., see Nagai, Y., 183
Ishibashi, H., Eto, K., Kajiwara, M., Noda, M., Facilitation of spontaneous glutamate release by antidepressant drugs in rat locus coeruleus, 152
Ishizaki, K., see Kowa, H., 129
Ito, D., see Hattori, H., 132
Itoh, K., see Araki, T., 11
Iwanami, A., see Araki, T., 11
Iwata, N., see Saito, S., 21

Jamieson, S.E., White, J.K., Howson, J.M.M., Pask, R., Smith, A.N., Brayne, C., Evans, J.G., Xuereb, J., Cairns, N.J., Rubinsztein, D.C., Blackwell, J.M., Candidate gene association study of solute carrier family 11a members 1 (*SLC11A1*) and 2 (*SLC11A2*) genes in Alzheimer's disease, 124
Jiang, W., see Tian, J., 92
Jiang, Y., see Tian, J., 92
Jin, S.-Y., see Lim, Y.J., 157
Joo, K.M., see Chung, Y.H., 58
Jozuka, A., see Hachiya, N.S., 98
Jung, K.H., see Baik, S.-Y., 53

Kaji, R., see Nishimura, M., 218
Kajiwara, M., see Ishibashi, H., 152
Kaleem, M.A., see Miller, D.W., 203
Kaneko, K., see Hachiya, N.S., 98
Kang, N., see Shim, J.K., 104
Kannan, H., see Qiu, D.-L., 69
Kasai, K., see Araki, T., 11
Katayama, T., see Yanagita, T., 47
Kato, K., see Qiu, D.-L., 69
Kato, N., see Araki, T., 11
Katoh, T., see Qiu, D.-L., 69
Kawakami, H., see Nishimura, M., 218
Kehm, R., see Sellner, J., 197
Kiebel, S.J., see Kilner, J.M., 174
Kilner, J.M., Kiebel, S.J., Friston, K.J., Applications of random field theory to electrophysiology, 174
Kim, J.-W., see Lim, Y.J., 157
Kim, S.-H., see Baik, S.-Y., 53
Kim, S.W., see Shim, J.K., 104
Kim, Y.S., see Chung, Y.H., 58
Kinoshita, Y., see Saito, S., 21
Kitajima, T., see Saito, S., 21
Kobayashi, H., see Nagai, Y., 183
Korzyukov, O., see Gumenyuk, V., 212
Koshida, I., see Araki, T., 11
Kosub, K.A., Do, V.H., Derrick, B.E., NMDA receptor antagonists block heterosynaptic long-term depression (LTD) but not long-term potentiation (LTP) in the CA3 region following lateral perforant path stimulation, 29
Kowa, H., Fusayasu, E., Ijiri, T., Ishizaki, K., Yasui, K., Nakaso, K., Kusumi, M., Takeshima, T., Nakashima, K., Association of the insertion/deletion polymorphism of the angiotensin I-converting enzyme gene in patients of migraine with aura, 129
Kowalczyk, P., see Szeliga, M., 171
Kozuka, Y., see Hachiya, N.S., 98
Kunitake, T., see Qiu, D.-L., 69
Kuno, S., see Nishimura, M., 218
Kusumi, M., see Kowa, H., 129

Latash, M.L., see Shim, J.K., 104
Laudenbach, V., see Adde-Michel, C., 109
Laufer, R., see Lee, N., 161
Laufs, T., see Schmidt, M., 207
Lee, J.J., see Lim, Y.J., 157
Lee, J.-S., see Baik, S.-Y., 53
Lee, N., Neitzel, K.L., Di Marco, A., Laufer, R., MacLennan, A.J., Penetrating brain injury leads to activation of ciliary neurotrophic factor receptors, 161
Lee, T.-C., see Sun, W., 63
Lee, W.B., see Chung, Y.H., 58
Leroux, P., see Adde-Michel, C., 109
Li, J., see Fan, Y., 222
Li, L., see He, S., 113
Lim, Y.J., Kim, J.-W., Song, J.Y., Hong, M.-S., Jin, S.-Y., Yoon, S.H., Park, H.J., Choe, B.-K., Lee, J.J., Yim, S.-V., Hong, S.-I., Baik, H.H., Ha, E., Park, Y.H., Epidermal growth factor gene polymorphism is different between schizophrenia and lung cancer patients in Korean population, 157
Lima, H.R.C., see Cavalcante-Lima, H.R., 5
Lin, Q., see Fang, L., 1
Liu, K., see Tian, J., 92
Lopez, G., see Miller, D.W., 189
Lu, J.-H., see Peng, Y.-P., 192

MacLennan, A.J., see Lee, N., 161
Manabe, T., see Yanagita, T., 47
Marret, S., see Adde-Michel, C., 109
Masahira, N., Ding, L., Takebayashi, H., Shimizu, K., Ikenaka, K., Ono, K., Improved preservation of X-gal reaction product for electron microscopy using hydroxypropyl methacrylate, 17
Matsuzaki, S., see Yanagita, T., 47
Matyja, E., see Szeliga, M., 171
Mercado, E., see Sun, W., 63

Merhi, O., see Faugloire, E., 136
Meyding-Lamadè, U., see Sellner, J., 197
Miller, D.W., Crawley, A., Gwinn-Hardy, K., Lopez, G., Nussbaum, R., Cookson, M.R., Singleton, A.B., Hardy, J., Dogu, O., Unaltered α-synuclein blood levels in juvenile Parkinsonism with a parkin exon 4 deletion, 189
Miller, D.W., Wilson, C.R., Kaleem, M.A., Blackinton, J., Cookson, M.R., Identification of the epitope of a monoclonal antibody to DJ-1, 203
Moldow, R.L., Beck, K.D., Weaver, S., Servatius, R.J., Blockage of glucocorticoid, but not mineralocorticoid receptors prevents the persistent increase in circulating basal corticosterone concentrations following stress in the rat, 25
Mukhopadhyay, S., see Chattopadhyay, B., 81
Murata, M., see Hattori, H., 132

Nagai, Y., Fujiki, M., Inoue, R., Uchida, S., Abe, T., Kobayashi, H., Neuroprotective effect of geranylgeranylacetone, a noninvasive heat shock protein inducer, on cerebral infarction in rats, 183
Nakagome, K., see Araki, T., 11
Nakao, H., see Qiu, D.-L., 69
Nakashima, K., see Kowa, H., 129
Nakaso, K., see Kowa, H., 129
Nam, R.H., see Chung, Y.H., 58
Neitzel, K.L., see Lee, N., 161
Nishimura, M., Kuno, S., Kaji, R., Kawakami, H., Influence of a tumor necrosis factor gene polymorphism in Japanese patients with multiple system atrophy, 218
Noda, M., see Ishibashi, H., 152
Näätänen, R., see Gumenyuk, V., 212
Nussbaum, R., see Miller, D.W., 189

Oh, D.-Y., see Baik, S.-Y., 53
Oh, S.J., see Shim, J.K., 104
Ohkubo, T., see Hachiya, N.S., 98
Oksanen, H., see Gumenyuk, V., 212
Okuda, H., see Yanagita, T., 47
Olivares, E.L., see Cavalcante-Lima, H.R., 5
Ono, K., see Masahira, N., 17
Ozaki, N., see Saito, S., 21

Park, H.J., see Lim, Y.J., 157
Park, Y.H., see Lim, Y.J., 157
Parker, M.S., Sah, R., Balasubramaniam, A., Parker, S.L., Lithium inhibits internalization and endosomal processing of both neuropeptide Y (NPY) Y1 and transferrin receptors, 43
Parker, S.L., see Parker, M.S., 43
Pask, R., see Jamieson, S.E., 124
Peng, Y.-P., Qiu, Y.-H., Lu, J.-H., Wang, J.-J., Interleukin-6 protects cultured cerebellar granule neurons against glutamate-induced neurotoxicity, 192

Qiu, D.-L., Chu, C.-P., Tsukino, H., Shirasaka, T., Nakao, H., Kato, K., Kunitake, T., Katoh, T., Kannan, H., Neuromedin U receptor-2 mRNA and HCN channels mRNA expression in NMU-sensitive neurons in rat hypothalamic paraventricular nucleus, 69
Qiu, Y.-H., see Peng, Y.-P., 192

Reis, L.C., see Cavalcante-Lima, H.R., 5
Reis, R.O., see Cavalcante-Lima, H.R., 5
Reuss, S., see Schmidt, M., 207
Roche, M., see Zueger, M., 142
Romkes, K.S., see Wijers, A.A., 87
Rubinsztein, D.C., see Jamieson, S.E., 124

Sah, R., see Parker, M.S., 43
Saito, I., see Hattori, H., 132
Saito, S., Ikeda, M., Iwata, N., Suzuki, T., Kitajima, T., Yamanouchi, Y., Kinoshita, Y., Takahashi, N., Inada, T., Ozaki, N., No association was found between a functional SNP in ZDHHC8 and schizophrenia in a Japanese case–control population, 21
Sakasegawa, Y., see Hachiya, N.S., 98
Salvi, R.J., see Sun, W., 63
Sano, K., see Hachiya, N.S., 98
Sasaki, K., Asaoka, K., Different physiological properties in a pool of mandibular closer motor neurons in a caterpillar, *Bombyx mori*, 166
Schmidt, M., Laufs, T., Reuss, S., Hankeln, T., Burmester, T., Divergent distribution of cytoglobin and neuroglobin in the murine eye, 207
Schmidt, W.J., see Herzig, V., 119
Sellner, J., Dvorak, F., Zhou, Y., Haas, J., Kehm, R., Wildemann, B., Meyding-Lamadè, U., Acute and long-term alteration of chemokine mRNA expression after anti-viral and anti-inflammatory treatment in herpes simplex virus encephalitis, 197
Servatius, R.J., see Moldow, R.L., 25
Shan, X., see Sun, W., 63
Shim, J.K., Kim, S.W., Oh, S.J., Kang, N., Zatsiorsky, V.M., Latash, M.L., Plastic changes in interhemispheric inhibition with practice of a two-hand force production task: a transcranial magnetic stimulation study, 104
Shimizu, K., see Masahira, N., 17
Shirasaka, T., see Qiu, D.-L., 69
Sidoryk, M., see Szeliga, M., 171
Sim, R.B., see Hakobyan, S., 35
Singleton, A.B., see Miller, D.W., 189
Smith, A.N., see Jamieson, S.E., 124
Song, J.Y., see Lim, Y.J., 157
Stoffregen, T.A., see Faugloire, E., 136
Sun, W., Mercado, E., Wang, P., Shan, X., Lee, T.-C., Salvi, R.J., Changes in NMDA receptor expression in auditory cortex after learning, 63
Suzuki, N., see Hattori, H., 132
Suzuki, T., see Saito, S., 21
Szeliga, M., Sidoryk, M., Matyja, E., Kowalczyk, P., Albrecht, J., Lack of expression of the liver-type glutaminase (LGA) mRNA in human malignant gliomas, 171

Takahashi, N., see Saito, S., 21
Takebayashi, H., see Masahira, N., 17
Takeshima, T., see Kowa, H., 129
Takeuchi, Y., see Hachiya, N.S., 98
Tanahashi, N., see Hattori, H., 132
Tian, J., Fu, F., Geng, M., Jiang, Y., Yang, J., Jiang, W., Wang, C., Liu, K., Neuroprotective effect of 20(*S*)-ginsenoside Rg_3 on cerebral ischemia in rats, 92
Tohyama, M., see Yanagita, T., 47
Tsukino, H., see Qiu, D.-L., 69

Uchida, S., see Nagai, Y., 183
Urani, A., see Zueger, M., 142

von Wendt, L., see Gumenyuk, V., 212

Wang, C., see Tian, J., 92
Wang, J., see Fan, Y., 222
Wang, J.-J., see Peng, Y.-P., 192
Wang, P., see Sun, W., 63
Watanabe, K., see Hachiya, N.S., 98
Watanabe, K., see Hattori, H., 132
Weaver, S., see Moldow, R.L., 25
White, J.K., see Jamieson, S.E., 124
Wijers, A.A., Been, P.H., Romkes, K.S., Dyslexics show a deviant lateralization of attentional control: a brain potential study, 87
Wildemann, B., see Sellner, J., 197
Willis, W.D., see Fang, L., 1
Wilson, C.R., see Miller, D.W., 203

Wu, J., see Fang, L., 1
Wu, X., see He, S., 113

Xin, X., see Fan, Y., 222
Xuereb, J., see Jamieson, S.E., 124

Yamada, M., see Hachiya, N.S., 98
Yamanouchi, Y., see Saito, S., 21
Yanagita, T., Manabe, T., Okuda, H., Matsuzaki, S., Bando, Y., Katayama, T., Tohyama, M., Possible involvement of the expression and phosphorylation of N-Myc in the induction of HMGA1a by hypoxia in the human neuroblastoma cell line, 47
Yang, B.-H., see Baik, S.-Y., 53
Yang, J., see Tian, J., 92
Yang, Z., see Fan, Y., 222
Yasui, K., see Kowa, H., 129
Yim, S.-V., see Lim, Y.J., 157
Yoon, S.H., see Lim, Y.J., 157

Zacher, C., see Zueger, M., 142
Zatsiorsky, V.M., see Shim, J.K., 104
Zhang, X., see Fang, L., 1
Zhou, Y., see Sellner, J., 197
Zueger, M., Urani, A., Chourbaji, S., Zacher, C., Roche, M., Harkin, A., Gass, P., Olfactory bulbectomy in mice induces alterations in exploratory behavior, 142